	Application No.	Applicant(s)
Notice of Allowability	10/827,378	DOMANGE, BRUNO
	Examiner	Art Unit
	Bradley T. King	3683
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the attached examiner's amendment. 2. The allowed claim(s) is/are 1.6.9.15 and 22-31. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. ⊠ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•	,	·
Attachment(s)	. ,	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Date 7. ⊠ Examiner's Amendm	
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
·	÷	*

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Roland Long, Jr. on 4/05/2007.

The application has been amended as follows:

Claim 1

on line 32 of the claim, the phrase:

"which complementary chamber (24) contains an air volume (31) and which complementary chamber (24)"

has been replaced with

--which complementary chamber (24) contains an air volume (31), and wherein said one secondary chamber (16)--.

Claim 24

On line 3 of the claim, the phrase"

"the secondary chamber"

has been changed to

-- the other secondary chamber--.

Art Unit: 3683

Claim 28

On line 43 of the claim, the phrase:

"the complementary chamber connecting to the first secondary chamber (15)"

has been changed to

--the two secondary chambers (15, 16) being connected--.

The amendment clarifies which chambers are connected. The 112 2nd rejection of claim 27 and 31 has been withdrawn as the claims clearly recite that complementary chamber and the air volume each has a longest longitudinal dimension. It is not required that the claims relate the two dimensions.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley T. King whose telephone number is (571) 272-7117. The examiner can normally be reached on 11:00-7:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Siconolfi can be reached on (571) 272-7124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/827,378 Page 4

Art Unit: 3683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BTK

Roberth Guardi 4/16/07